(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	 	S	Off-road motorcycle trai	ls	 Golf fairways 	5
	 			Rating class and limiting features			
5B: Colo		 Very limited Depth to saturated zone	11.00	 Very limited Depth to saturated zone	11.00	 Very limited Depth to saturated zone	1 1.00
Ackmore	 - 30 	 Not limited 	 	 Not limited 		 Somewhat limited Flooding Depth to saturated zone	 0.60 0.19
8B: Judson	 - 90	 Not limited 	 	 Not limited	 	 Not limited 	
8C: Judson	- 100	 Not limited	 	 Not limited	 	 Not limited	į
24D: Shelby	 - 90	 Not limited 		 Not limited		 Somewhat limited Slope	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
24D2: Shelby	 - 90 	 Not limited 		 Not limited 		 Somewhat limited Slope	1 1 1 1 1 1 1 1 1 1
24E: Shelby			0.02	 Not limited 		 Very limited Slope	11.00
24E2: Shelby	 - 90 	 Somewhat limited Slope	0.02	 Not limited 		 Very limited Slope	11.00
51: Vesser	 - 95 	 Not limited 	 	 Not limited 		 Somewhat limited Flooding Depth to saturated zone	0.60
51+: Vesser	 - 95 	 Not limited 	 	 Not limited 		 Somewhat limited Flooding Depth to saturated zone	 0.60 0.19
51B: Vesser	 - 90	 Not limited	 	 Not limited	 	 Somewhat limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	 	S	Off-road motorcycle tra: 	ils	Golf fairways 	S
				Rating class and limiting features		Rating class and limiting features 	
		 		 		 Depth to saturated zone	0.19
51B+: Vesser	 - 90 	 Not limited 		 Not limited 		 Somewhat limited Flooding Depth to saturated zone	 0.60 0.19
69C: Clearfield	90	 Not limited 	 	 Not limited 		 Somewhat limited Depth to saturated zone	0.19
69C2: Clearfield	 - 90 	 Not limited 		 Not limited 	 	 Somewhat limited Depth to saturated zone	 0.19
76C: Ladoga	 - 100	 Not limited	 	 Not limited	 	 Not limited 	
76C2: Ladoga	- 90 	 Not limited		 Not limited 		 Not limited 	
76D: Ladoga	 - 95 	 Not limited 		 Not limited 		 Somewhat limited Slope	 0.63
76D2: Ladoga	 - 90 	 Not limited 		 Not limited 		 Somewhat limited Slope	1 0.63
88: Nevin	 - 95	 Not limited		 Not limited		 Not limited	
93D: Shelby	- 60 	 Not limited 		 Not limited 		 Somewhat limited Slope	 0.63
Adair	 - 30 	 Not limited 		 Not limited 		 Somewhat limited Slope Depth to saturated zone	 0.63 0.19
93D2: Shelby	 - 60	 Not limited	 	 Not limited		 Somewhat limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	 	S	Off-road motorcycle trai	ls	Golf fairways 	5
		 Rating class and limiting features 					
Adair	30	 - Not limited - 		 Not limited 	İ	 Slope Somewhat limited Slope Depth to saturated zone	0.63 0.19
133: Colo	 100 	Depth to	11.00	 Very limited Depth to saturated zone 	1.00 	saturated zone	11.00
133+: Colo		 Very limited Depth to saturated zone 	1.00	 Very limited Depth to saturated zone 	1.00 	Depth to saturated zone	11.00
133B: Colo		 Very limited Depth to saturated zone	11.00		11.00		11.00
133B+: Colo	 100 	 Very limited Depth to saturated zone 	11.00	 Very limited Depth to saturated zone 	11.00	 Very limited Depth to saturated zone Flooding	
172: Wabash	 95 	saturated zone		 Very limited Depth to saturated zone Too clayey	1.00 	saturated zone	 1.00 1.00 0.60
179D: Gara	 90 	 Not limited 		 Not limited 		 Somewhat limited Slope	1 1 1 1 1 1 1 1 1 1
179D2: Gara	90 	 Not limited 		 Not limited 		 Somewhat limited Slope	0.63
179E: Gara	90	 Somewhat limited		 Not limited	 	 Very limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

and soil name	 Pct. of map unit	 	S	 Off-road motorcycle trai 	ls	 Golf fairways 	3
	 	 Rating class and limiting features 		Rating class and limiting features			
		Slope	10.02			Slope	11.00
179E2: Gara			 0.02		 	 Very limited Slope 	1 1.00
179F: Gara			10.82			 Very limited Slope	11.00
179F2: Gara			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			 Very limited Slope	1 1.00
192C: Adair	1 100	 Not limited 	 	 Not limited 		 Somewhat limited Depth to saturated zone	 0.19
192C2: Adair	 100 	 Not limited 	 	 Not limited 		 Somewhat limited Depth to saturated zone	 0.19
192D: Adair	 100 	 Not limited 	 	 Not limited 			 0.63 0.19
192D2: Adair	 100 	 Not limited 	 	 Not limited 		 Somewhat limited Slope Depth to saturated zone	 0.63 0.19
212: Kennebec	90	 Not limited 	 	 Not limited 		 Somewhat limited Flooding	1 1 1 1 1 1 1 1 1 1
220: Nodaway	 95 	 Not limited 	 	 Not limited 		 Somewhat limited Flooding	1 1 1 1 1 1 1 1 1 1
222C: Clarinda	 90	 Not limited	 	 Not limited	 	 Somewhat limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

and soil name	 Pct. of map unit	 	s	Off-road motorcycle trai 		 Golf fairways 	
	 	 Rating class and limiting features 		 Rating class and limiting features 			
	 	 	 	 	 	 Depth to saturated zone	 0.19
222C2: Clarinda	 90 	 Not limited 	 	 Not limited 		 Somewhat limited Depth to saturated zone	 0.19
222D2: Clarinda	 95 	 Not limited 	 	 Not limited 	İ	 Somewhat limited Slope Depth to saturated zone	
248: Wabash			1.00	 Very limited Depth to saturated zone	1.00 	 Very limited Depth to saturated zone Flooding	11.00
248+: Wabash		 Very limited Depth to saturated zone 		 Very limited Depth to saturated zone 		 Very limited Depth to saturated zone Flooding	11.00
269: Humeston		Depth to	11.00	 Very limited Depth to saturated zone 	11.00		 1.00 0.60
269+: Humeston		 Very limited Depth to saturated zone 	1.00	 Very limited Depth to saturated zone	1.00 	 Very limited Depth to saturated zone Flooding	1 1.00 1 0.60
273B: Olmitz	 90	 Not limited 	 	 Not limited 	 	 Not limited 	
273C: Olmitz	 95 	 Not limited 	 	 Not limited 	 	 Not limited 	
286B: Colo	 45	 Very limited	 	 Very limited		 Very limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	 	S	Off-road motorcycle trai	ls	Golf fairways 	5
	 	Rating class and limiting features		Rating class and limiting features		 Rating class and limiting features 	
	 	Depth to saturated zone	11.00	Depth to saturated zone	11.00	 Depth to saturated zone	11.00
Judson	- 30	 Not limited		 Not limited		 Not limited	
Nodaway	- 25 	 Not limited 	 	 Not limited 		 Somewhat limited Flooding	10.60
368: Macksburg	 - 95	 Not limited	 	 Not limited		 Not limited	
368B: Macksburg	 - 95	 Not limited	 	 Not limited	 	 Not limited	
369: Winterset	 - 95 		11.00	 Very limited Depth to saturated zone	11.00	 Very limited Depth to saturated zone	11.00
370B: Sharpsburg	- 100	 Not limited		 Not limited		 Not limited	
370C: Sharpsburg	 - 95	 Not limited		 Not limited		 Not limited	
370C2: Sharpsburg	 - 100	 Not limited	 	 Not limited		 Not limited	
370D: Sharpsburg	 - 95 	 Not limited	 	 Not limited 		 Somewhat limited Slope	10.63
370D2: Sharpsburg	 - 100	 Not limited 	 	 Not limited 	 	 Somewhat limited Slope	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
423C2: Bucknell	 - 95 	 Not limited 	 	 Not limited 		 Somewhat limited Depth to saturated zone	 0.19
423D2: Bucknell	 - 95 	 Not limited 	 	 Not limited 	 	 Somewhat limited Slope Depth to saturated zone	 0.63 0.19

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	İ	S	 	Off-road motorcycle trai	ls	 Golf fairways 	3
	 						 Rating class and limiting features 	
428B: Ely	 - 85 	 Not limited	 	 Not	limited		 Not limited 	
430: Ackmore	 - 90 	 Not limited 	 	 Not 	limited	 	 Somewhat limited Flooding Depth to saturated zone	 0.60 0.19
452C: Lineville	 - 90 	 Not limited 	 	 Not 	limited		 Somewhat limited Depth to saturated zone	0.19
452C2: Lineville	 - 90 	 Not limited 	 	 Not 	limited		 Somewhat limited Depth to saturated zone	0.19
470D: Lamoni	 - 70 	 - Not limited - - 	 	 Not 	limited	 	 Somewhat limited Slope Depth to saturated zone	 0.63 0.19
Shelby	 - 30 	 Not limited 	 	 Not 	limited		 Somewhat limited Slope	10.63
470D2: Lamoni	 - 65 	 Not limited 	 	 Not 	limited	 	 Somewhat limited Slope Depth to saturated zone	 0.63 0.19
Shelby	 - 30 	 Not limited 	 	 Not 	limited		 Somewhat limited Slope	10.63
570C: Nira	 - 90	 Not limited 	 	 Not	limited	 	 Not limited 	
570C2: Nira	 - 90 	 Not limited 		 Not 	limited	i 	 Not limited 	i
570D: Nira	 - 90 	 Not limited 	 	 Not 	limited	 	 Somewhat limited Slope	 0.63

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	 	S	Off-road motorcycle tra 	ils	Golf fairway: - -	s
	 	 Rating class and limiting features 		 Rating class and limiting features 		 Rating class and limiting features 	
570D2: Nira	 - 90 	 Not limited		 Not limited 		 Somewhat limited Slope	 0.63
592C: Mystic	 - 95	 Not limited		 Not limited		 Not limited	
592C2: Mystic	 - 95	 Not limited		 Not limited		 Not limited	
592D: Mystic	 - 90 	 Not limited 		 Not limited 		 Somewhat limited Slope	10.63
592D2: Mystic	 - 90 	 Not limited 		 Not limited 		 Somewhat limited Slope	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
792C: Armstrong	 - 100 	 Not limited 		 Not limited 		 Somewhat limited Depth to saturated zone	 0.19
792C2: Armstrong	 - 100 	 Not limited 	 	 Not limited 		 Somewhat limited Depth to saturated zone	 0.19
792D: Armstrong	 - 100 	 Not limited 	 	 Not limited 		 Somewhat limited Slope Depth to saturated zone	 0.63 0.19
792D2: Armstrong	 - 100 	 Not limited 	 	 Not limited 		 Somewhat limited Slope Depth to saturated zone	 0.63 0.19
822C: Lamoni	 - 90 	 Not limited 	 	 Not limited 		 Somewhat limited Depth to saturated zone	 0.19
822C2: Lamoni	 - 90	 Not limited	 	 Not limited	 	 Somewhat limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

	Pct. of map unit		s	Off-road motorcycle trai 	ls	 Golf fairways 	3
	 			Rating class and limiting features		Rating class and limiting features	
		 	 	 		 Depth to saturated zone	 0.19
822D: Lamoni	 90 	 Not limited 	 	 Not limited 	 	 Somewhat limited Slope Depth to saturated zone	 0.63 0.19
822D2: Lamoni	 90 	 Not limited 	 	 Not limited 	 	 Somewhat limited Slope Depth to saturated zone	 0.63 0.19
870B: Sharpsburg	 100 	 Not limited 	 	 Not limited 	 	 Not limited 	
870C2: Sharpsburg	 95 	 Not limited 	 	 Not limited 		 Not limited 	
993D: Gara	 60 	 Not limited 	 	 Not limited 	 	 Somewhat limited Slope	 0.63
Armstrong	 40 	 Not limited 	 	 Not limited 	 	 Somewhat limited Slope Depth to saturated zone	 0.63 0.19
993D2: Gara	 55 	 Not limited 	 	 Not limited		 Somewhat limited Slope	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Armstrong	40 	 Not limited 	 	 Not limited 	 	 Somewhat limited Slope Depth to saturated zone	 0.63 0.19
1220: Nodaway	 90 		10.40	 Somewhat limited Flooding	0.40	 Very limited Flooding	11.00
1368B: Macksburg	 90	 Not limited	 	 Not limited		 Not limited	
5030: Pits	100	 Not rated	 	 Not rated		 Not rated	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	i I	 	Off-road motorcycle trai	ls	 Golf fairways 	5
	 	Rating class and \footnote{1} Rating features \footnote{1}	 /alue 	Rating class and limiting features		Rating class and limiting features	Value
5040: Orthents	 - 100		 	Not rated	 	 Not rated 	
W: Water	 - 100 		 	Not rated		 Not rated 	